


09-22-00

A

ASSISTANT COMMISSIONER FOR PATENTS
BOX PATENT APPLICATION
Washington, D.C. 20231

DOCKET NO. JP920000220US1
Date: September 21, 2000



Sir:

09/21/00

Transmitted herewith for filing is the Patent Application of:

Inventors: Hulikunta Prahlad Raghunandan

For: METHOD AND SYSTEM TO HANDLE LARGE VOLUME OF E-MAIL RECEIVED
FROM A PLURALITY OF SENDERS INTELLIGENTLY

Enclosed are:

☒ 4 Sheets of Formal Drawings.

☒ An assignment of the invention to International Business Machines Corporation, Armonk, New York 10504.

☐ A certified copy of a application, dated no.

☒ Executed Declaration and Power of Attorney is attached to the application.

☐ Associate Power of Attorney.

☒ Information Disclosure Statement with form PTO-1449 with references attached.

The filing fee has been calculated as shown below:

OTHER THAN A
SMALL ENTITY

	(Col. 1)	(Col. 2)
FOR:	NO. FILED	NO. EXTRA
BASIC FEE		
TOTAL CLAIMS	34 - 20 =	14
INDEP CLAIMS	3 - 3 =	0
MULTIPLE DEPENDENT CLAIM PRESENTED		

RATE	FEE
	\$ 690.00
X \$ 18 =	\$ 252.00
X \$ 78 =	\$ 0.00
+ \$ 260 =	\$ 0.00
TOTAL	\$ 942.00

If the difference in Col. 1 is less than zero, enter "0" in Col. 2.

☒ Please charge my Deposit Account No. 09-0468 in the amount of \$ 942.00.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 09-0468. A duplicate copy of this sheet is enclosed.

☒ Any additional filing fees required under 37 CFR 1.16.

☒ Any patent application processing fees under 35 CFR 1.17.

Respectfully submitted,

By
Manny W. Schecter
Registration No.: 31,722
Tel. (914) 945-3252

IBM CORPORATION
INTELLECTUAL PROPERTY LAW DEPT.
P.O. BOX 218
YORKTOWN HEIGHTS, NY 10598

Express Label EL600330799US
Date of Deposit: Sept. 21, 2000

jc784 U.S. PTO
09/21/00

METHOD AND SYSTEM TO HANDLE LARGE VOLUME OF E-MAIL RECEIVED FROM A PLURALITY OF SENDERS INTELLIGENTLY

Field of the invention:

- 5 This invention relates to a method and system to handle large volume of e-mail received from a plurality of senders and generate suitable response intelligently.

Background of the invention:

10 With an increase in e-mail usage there is a need to add powerful features to e-mail tools. E-mail usage is likely to increase at a phenomenal rate. This includes personal and official mail. With increasing mail volumes, users will feel the need to use more powerful e-mail tools. Some of the problems that are likely to be faced by users in the near future is:

- 15 1. Handling an enormous amount of mail.
2. Retain quality of mail response for all the mails. Typically it has been observed that
- a. Mail response to mails read at the end of a day is poor in quality of content.
- 20 b. Mail response to mails after the first 50 odd mails decreases steadily in quality.
- c. Human fatigue and urgency during office work also take their toll and sometimes users tend to be arbitrary in handling mail not giving the right attention at the right place.

25

This leads to a lot of problems in professional and personal scenarios.

The impact of this could be so far reaching especially in very influential and top positions (technical or management) that in a professional environment it could also lead to huge financial losses.

- 5 So far no serious study has been done on the impact of arbitrary treatment of electronic mail on the productivity, effectiveness and balance sheets of companies and the solution that would alleviate some of its effects.

10 With a splurge in dot.com companies, and a present 160 million global users, e-mail usage is likely to assume gargantuan proportions and it is likely that in the future companies would appoint e-mail screeners to screen and prioritize mail. It is estimated that 500 million users would be hooked to the net by 2003. Add to this the growing intranet and extranet usage which is also likely to increase with e-business. Presently the members of senior management in large
15 organizations who handle high volume e-mail already have their secretaries to help them handle mail.

In fact 90% of time spent by a manager in any industry is in communicating (including meetings, telephone calls, mail), in the coming years there is going to
20 be major shift towards mail usage especially in non-IT industries where the emphasis of communication is going to shift strategically to electronic mail.

With burgeoning e-mail quantity, there is a need to have special focus on the content of e-mail. E-mail usage is likely to become monotonous, ubiquitous and
25 last but not the least extremely time consuming due to large volume. Consequently a great deal of conscious effort needs to be put into maintaining the quality of e-mail content especially in a business scenario. Arbitrary e-mail usage in an e-business scenario could lead to catastrophic effects. On the other

hand high quality e-mail content with richness and relevance is likely to have a very positive impact on an e-business.

E-mail being a human activity so far, is therefore riddled by human problems like fatigue, lack of concentration and lack of time. There is a dire need for e-mail tools, which can alleviate the problems described above.

Let us consider the existing scenario in a well connected company.

While receiving large no: of e-mails:

1. The number of e-mails could be sufficiently large that key individuals may not have the time to browse through the same and generate replies for each of them.
2. While replying to a plurality of senders the user seldom remembers the significant contents of the mails sent by these senders over a period of time while composing the reply. Whatever little the user recollects is limited by his/her memory of the said detail. The absence of this takes away the richness and relevance of contents. Sometimes irrelevant content inclusion by oversight or poor memory leads to further needless mail exchange apart from bandwidth expense and other image/goodwill/business damages. Precious time is anyway lost in the process.

Presently mail handling is done by:

- a. Reading every single mail and replying to mails separately. This can become really cumbersome, tiring and time consuming especially if the number of related mails received is in the tune of hundreds or thousands. The quality of replies also decreases as the number of mails increases in

quantity. A modest estimate of the amount of time spent by an individual on mails is discussed below.

- b. As far as richness of content is concerned there is no systematic method used to lookup the relevant information from previous mails. This leads to understatements, misrepresentations, approximations, misunderstandings and sometimes leads to needless mail exchanges. In a business scenario this also leads to potential business loss.

10 **An E-mail usage survey:**

An e-mail usage survey was conducted on 20 members of a junior technical group on a normal business day in IBM Global Services India (P) Ltd. Following was the finding.

15 **Assumptions:**

1. Lotus notes, Netscape mail, Unix mail and all other kinds of mail were included.
2. One-liners are one-line messages per mail.
3. Small messages would contain 2-10 lines per mail.
- 20 4. Medium length messages would contain 10-100 lines per mail.
5. Long length messages would contain 100-500 lines per mail, including attachments.

Type of mail	Estimated Time spent in seconds							Time spent with reply	Time Spent with out reply	Time spent on new msg
	Choose & point to msg, read subject & sender, prioritize	Open the msg in	Read the msg	Understand the msg	Re-read msg	Frame reply	Review reply			
One liner	1	1	1	1	0	2	0	6/60 mins	4/60 mins	2/60 mins
Short message	1	1	10	5	5	10	5	37/60 mins	22/60 mins	15/60 mins
Medium message	1	1	120	60	20	120	60	6 mins 22 secs	3 mins 22 secs	3 mins
Long message	1	1	480	300	60	480	300	27 mins 2 secs	14 mins 2 secs	13 mins

	Avg. no: of mails received in a day (include official and personal)	Avg. no: of new messages sent in a day	Avg. no: of replies to messages sent in a day.	Avg no: of one liners received per day	Avg no: of short messages received per day	Avg no: of medium length messages received per day	Avg no: of long messages received per day (including Attachments)
Mails	14	5	5	2	6	4	1

As can be seen from the above only 5 of 14 mails were needed to be replied to, which is 36 % of all mails received.

Approximately 36% of total mails received were sent anew.

Approximately 64% of all mails received were read but not replied to.

Assuming the % distribution shown above we get:

Mail type	Time taken
One liners	$0.36 * 6/60 + 0.36 * 4/60 + 0.64 * 2/60 = 4.88/60$ minutes
Short messages	$0.36 * 37/60 + 0.36 * 22/60 + 0.64 * 15/60 = 30.84/60$ minutes
Medium messages	$0.36 * (6 + 22/60) + 0.36 * (3 + 22/60) + 0.64 * 3 = 5.42$ minutes
Long messages	$0.36 * (27 + 2/60) + 0.36 * (14 + 2/60) + 0.64 * 13 = 23$ minutes
Total	28 minutes 35 seconds → 28 minutes (approx.)

This is a very modest estimate.

Managers spend 90% of their time communicating (e-mail, telephone and meetings) and therefore the time spent by them on e-mail is much more than what is seen above. Senior management spends much more time in handling mail.

Extrapolating the above figure of 28 minutes for every 14 mails we get the following data.

No: of mails received in a business day	Total time spent (including reading and replying to selected mails)
10	20 minutes
50	1 hour 40 minutes
100	3 hours 20 minutes
500	16 hours 40 minutes
1000	33 hours 20 minutes

Some recent attempts at solving these problems are described in US patent no. 5,948,058 and Japanese patent laid-open publication (Kokai) nos. Heisei 6-162085, Heisei 2-170642 and Heisei 4-351134. However, all these patents are limited in the scope of their solutions, as none of these utilize the power of available technology in the form of expert systems. Furthermore, none of these patents addresses the issue of generating replies to the received emails automatically.

The object of this invention is to provide a method and a system for handling large amount of mail efficiently, effectively and intelligently including automatic generation of responses using an expert system.

To achieve the said objective this invention provides in a computing system a method to handle large volume of e-mail received from a plurality of senders intelligently, by automatically processing each email based on a pre-determined classification system and stored information, said method comprising the steps of:

- receiving and sending the electronic mails,
- parsing the electronic mail header to capture keywords for the purpose of identifying the sender, the subject and specific key words and/or phrases,
- parsing the electronic mail body including attachments if any, for keywords and/or phrases for purpose of categorizing the e-mail for response,
- storing the said received emails in a personalized email database (PED),
- analyzing the emails stored in the PED for identifying co-relations among received e-mails using an expert system (ES) with machine

learning capabilities to assist the user in analyzing and preparing replies,

- preparing a reply template using a reply template generator (RTG),
- storing the email replies in said PED,
- configuring said PED and said ES using an personalized email database configurator (PEC) for updation.

The above method further includes:

- storing of the received and sent e-mails in a mailbox (MB) within said PED,
- storing the result of the analysis by said expert system in New Knowledge Base (NKB) in the said PED.

The above method further includes storage of personal data profile of the user, calendar of appointments / meetings, current job contents in said PED.

The above method further includes the accessing of said PED over a network so as to make it useful to a travelling user.

The above method further includes the accessing of said PED through appropriate facilities including palm pilots.

The above method further includes:

- optionally generating the reply template,
- selecting mail type on which to generate reply template e.g. one-liner, short, medium long replies,
- enabling/disabling history search and intelligent reply template generation for specific type of mails for short mails,

5
10
15
20

- reply sent to R2 – S2,
- reply received on S2 – R3

by said RTG, serially and in chronological sequence, individually or in groups of R1, R2, R3 or S1, S2, S3 or in any combination requested by the user, either in configurable colors and/or with changed font type and size.

The above method further includes viewing and searching of the database by said RTG for relevant emails/messages with:

- the same subject,
- the same sender and same subject
- the same subject and any one of the recipients listed in the cc: list or the To: list and various other similar combinations.

The said reply template is in the same format in which said attachments have been received.

The above method further includes generation of co-relations and new associations by said ES using state of art and state of the practice techniques of NLP, AI, machine learning.

The above method further includes searching said PED by said ES for co-relations amongst e-mails received

- sender wise,
- senders within a particular timeframe,
- thread wise or subject wise,
- sender and subject wise,
- sender, subject and date wise,
- sender, keyword wise.

In a computing system, a system to handle large volume of e-mail received from a plurality of senders intelligently, by automatically processing each email based on a pre-determined classification system and stored information,
5 comprising:

- means for receiving and sending the electronic mails,
- means for parsing the electronic mail header to capture keywords for the purpose of identifying the sender, the subject and specific key words and/or phrases,
- 10 - means for parsing the electronic mail body including attachments if any, for keywords and/or phrases for purpose of categorizing the e-mail for response,
- means for storing the said received emails in a personalized email database (PED),
- 15 - means for analyzing the emails stored in the PED for identifying co-relations among received e-mails using an expert system (ES) with machine learning capabilities to assist the user in analyzing and preparing replies,
- means for preparing a reply template using a reply template generator (RTG),
- 20 - means for storing the email replies in said PED,
- means for configuring said PED and said ES using an personalized email database configurator (PEC) for updation.

25 The above system further includes:

- means for storing the received and sent e-mails in a mailbox (MB) within said PED,
- means for storing the result of the analysis by said expert system in New Knowledge Base (NKB) in the said PED.

The above system further includes means for storing personal data profile of the user, calendar of appointments / meetings, current job contents in said PED.

- 5 The above system further includes the means for accessing said PED over a network so as to make it useful to a travelling user.

The above system further includes the means for accessing said PED through appropriate facilities including palm pilots.

10

The above system further includes means for allowing the user through said PEC to:

15

- optionally generate the reply template,
- select mail type on which to generate reply template e.g. one-liner, short, medium long replies,
- enable/disable history search and intelligent reply template generation for specific type of mails for short mails,
- enable/disable history search and intelligent reply template generation for specific type of mails for cc'ed type or bcc'ed type or mails sent to newsgroups,
- specify history search and intelligent reply template generation parameters like,
 - whether to search on subject and/or sender,
 - time period in which the messages need to be searched for,
 - type of message contents to be included/excluded
- schedule deletion of mails from the MB and NKB,
- schedule sending of mails,
- specify latest first or oldest first while generating relevant intelligent reply,

20

25

- specify limits on inclusion of older reply contents – time period wise, volume wise and bandwidth wise,
- specify criteria for inclusion/exclusion of keywords,
- provide access to multiple PEDs at various locations over the network,
- provide on-the-fly exclusion / inclusion of original mail and reply contents including the various levels of replies and counter-replies.

The above system further includes means for displaying said reply template on the screen by said RTG based on searches conducted within the NKB in said PED

The above system further includes means for displaying:

- the mail received R1,
- reply sent to R1 – S1,
- reply received on S1 – R2,
- reply sent to R2 – S2,
- reply received on S2 – R3

by said RTG, serially and in chronological sequence, individually or in groups of R1, R2, R3 or S1, S2, S3 or in any combination requested by the user, either in configurable colors and/or with changed font type and size.

The above system further includes means for viewing and searching of the database by said RTG for relevant emails/messages with:

- the same subject,
- the same sender and same subject,
- the same subject and any one of the recipients listed in the cc: list or the To: list and various other similar combinations.

The above system further includes means for generating co-relations and new associations by said ES using state of art and state of the practice techniques of NLP, AI, machine learning.

5

The above system further includes means for searching said PED by said ES for co-relations amongst e-mails received

10

- sender wise,
- senders within a particular timeframe,
- thread wise or subject wise,
- sender and subject wise,
- sender, subject and date wise,
- sender, keyword wise.

15

A computer program product comprising computer readable program code stored on computer readable storage medium embodied therein for causing a computer to handle large volume of e-mail received from a plurality of senders intelligently, said computer program code comprising:

20

- computer readable program code means configured for receiving and sending the electronic mails,
- computer readable program code means configured for parsing the electronic mail header to capture keywords for the purpose of identifying the sender, the subject and specific key words and/or phrases

25

- computer readable program code means configured for parsing the electronic mail body including attachments if any, for keywords and/or phrases for purpose of categorizing the e-mail for response,
- computer readable program code means configured for storing the said received emails in a personalized email database (PED),

5

- 10

15

- 20

25

8572p-195.doc

The above computer program product further includes computer readable program code means configured for accessing said PED through appropriate facilities including palm pilots.

5 The above computer program product further includes computer readable program code means configured for allowing the user through said PEC to:

- optionally generate the reply template,
- select mail type on which to generate reply template e.g. one-liner, short, medium long replies,
- 10 - enable/disable history search and intelligent reply template generation for specific type of mails for short mails,
- enable/disable history search and intelligent reply template generation for specific type of mails for cc'ed type or bcc'ed type or mails sent to newsgroups,
- 15 - specify history search and intelligent reply template generation parameters like,
 - whether to search on subject and/or sender,
 - time period in which the messages need to be searched for,
 - type of message contents to be included/excluded,
- 20 - schedule deletion of mails from the MB and NKB,
- schedule sending of mails,
- specify latest first or oldest first while generating relevant intelligent reply,
- specify limits on inclusion of older reply contents – time period
- 25 wise, volume wise and bandwidth wise,
- specify criteria for inclusion/exclusion of keywords,
- provide access to multiple PEDs at various locations over the network,

- provide on-the-fly exclusion / inclusion of original mail and reply contents including the various levels of replies and counter-replies.

The above computer program product further includes computer readable program code means configured for displaying said reply template on the screen by said RTG based on searches conducted within the NKB in said PED.

The above computer program product further includes computer readable program code configured means for displaying of:

- the mail received R1
- reply sent to R1 – S1
- reply received on S1 – R2
- reply sent to R2 – S2
- reply received on S2 – R3

by said RTG, serially and in chronological sequence, individually or in groups of R1, R2, R3 or S1, S2, S3 or in any combination requested by the user, either in configurable colors and/or with changed font type and size.

The above computer program product further includes computer readable program code means configured for viewing and searching of the database by said RTG for relevant emails/messages with:

- the same subject,
- the same sender and same subject
- the same subject and any one of the recipients listed in the cc: list or the To: list and various other similar combinations.

The above computer program product further includes computer readable program code means configured for generating of co-relations and new

associations by said ES using state of art and state of the practice techniques of NLP, AI, machine learning.

The above computer program product further includes computer readable program code means configured for searching the said PED by said ES for correlations amongst e-mails received

- sender wise,
- senders within a particular timeframe,
- thread wise or subject wise,
- sender and subject wise,
- sender, subject and date wise,
- **sender, keyword wise.**

The invention will now be described with reference to the accompanying drawings:

Fig. 1 shows the entity diagram of the system, according to this invention.

Fig. 2 shows the flow diagram describing the operation of the system, according to this invention.

Fig. 3 shows the flow diagram describing the operation of the expert system.

Fig. 4 shows the flow diagram of the personalized email database configurator (PEC).

As shown in figure 1, email header parser (1) parses the received email header to extract information as defined by the user. The email message is then parsed by email body parser (2) to extract user defined keywords and/or phrases. The

received email is then stored in mailbox (MB) (4) located in personalized email database (PED) (3). The PED contains 2 logical parts, the mailbox (MB) and the New Knowledge Base (NKB). The MB contains mail archives whereas the NKB contains assertions derived from the mail archives. The MB contains all sent and received mail while the NKB contains information generated by the expert system (ES) (9). Reply template generator (RTG) (6) retrieves the received email from the mailbox (MB) (4) and generates the output reply template in accordance with user defined rules on the monitor (7) of the system. Personalized email database configurator (PEC) (8) enables the user to configure the personalized email database system (PED) (3), RTG (6) as well as the expert system (ES) (9), which operates on the personalized email database system (PED) (3) using machine learning algorithms in order to identify correlations between different email messages and generate new knowledge base (NKB) (5), which is used by the reply template generator (RTG) (6) in formulating the output reply. The invention also provides a facility wherein the PED is accessible over a network, so that it can be accessed by a travelling user. Appropriate facilities are also provided to support wireless access to the PED using pervasive computing equipment like palm pilots etc. Personalized e-mail archive or database (PED) (Supports Netscape Inbox format, notes nsf format, Claris format, Eudora format, Microsoft Outlook Express format, IE file format, Unix mbox format, Qualcomm file format, etc. with the help of converters).

Referring to figure 2, the email receiving means receives the email (11). The email header is then parsed (12) by a text parser (1) to extract information about sender, subject, domain, address for reply including CC, Bcc, Newsgroup information, as defined by configuration data. The email is then further parsed for the body contents (13) by text parser (2) to identify whether the email needs to be replied to immediately, later or no reply is required. Further, the parser searches for user defined keywords and/or phrases/clauses. If no reply is to be

generated the email along with the parsed information is archived (21) in the PED (3). If a reply is required, the reply template generator (RTG) is invoked to generate a reply template (15), which includes:

- generation of appropriate salutation and end-of-message signature details, as configured
- inclusion of original email contents as configured ,
- searching of mailbox (MB) and new knowledge base (NKB) in personalized email database (PED) based on configured parameters including
 - message type (one-liner, short, medium, long)
 - subject, sender, recipient, keyword, thread, or combination thereof,to extract information for inclusion in the reply

If the reply is required immediately, the generated template is displayed to the user on the monitor of the system in the configured format (18). The user completes the reply (20) and the system archives the reply in the PED (21) for subsequent transmission. If however, the email is to be replied-to later, the generated reply template is stored (17) in the PED and the PED is set up to generate an alarm or reminder for the user at the appropriate time (19).

Figure 3 describes the functioning of the expert system, which operates on the PED to generate new knowledge base (NKB). The expert system searches (22) the PED for co-relations among messages based on configured parameters. It then generates new knowledge representations using machine learning techniques.

Machine Learning – Using the ES and the PED.

A few cases are explained to illustrate the nature and scope of machine learning in an e-mail scenario.

5 Case -1: First level knowledge generation

Consider the case when an e-mail is received from a user u_1 , subject s_1 , possessing a significant keyword k_1 . Then an assertion a_1 can be extracted from this e-mail by the expert system and placed in the NKB.

10 An assertion is a trite and terse conversion of the sentence containing the keyword.

In reality assertions could represent opinions of users, or situations involving users, or statements of fact.

15

The ES would use NLP techniques (symbolic logic, predicate calculus etc.) to convert the English string into an assertion that is updated into the NKB. The RTG accesses the NKB while generating a reply template.

20 Let's say that:

User : u_1

Subject : s_1

Keyword : k_1

25 For each set of (u_1, s_1, k_1) at least one assertion a_1 can be generated.

The ES can be configured to generate more than one assertion per set of (u_1, s_1, k_1) .

Now, if this assertion a_1 happens to involve either u_1 or s_1 or a combination of u_1 and s_1 , this knowledge could be used whenever there is a query on a keyword involving (u_1, s_2) or (u_2, s_1) .

- 5 Now a_1 could be suggested as the new assertion while framing a reply template to any of the users u_1 or u_2 .

This can be used to refer to the NKB for the most useful and relevant assertion, which can be solicited by the user by using a hot key from the RTG.

10

The machine learning engine of the ES updates the NKB with the knowledge representations like (u_1, s_1, k_1, a_1) , (u_2, s_1, k_1, a_2) etc.

15

Thus as the number of e-mails increases, the NKB is updated with new information by the machine learning engine which comes with new associations of user, subject, keyword and assertion combinations.

Case -2 : Second level knowledge generation

Since the NKB has records with associations of the type (u, s, k, a)

20

We could have various assertions generated on a particular set and also there could be unique assertions that can be further derived from these assertions.

25

Assuming that a_1 to a_n are the assertions derived from various sets of user, subject, keyword etc.

Let A be the set of all assertions generated using the first level knowledge generation technique shown above on the U, S, K. Where

U – Set of all users

S - Set of all subjects

K - Set of associate keywords.

Then :

A - $a_1, a_2, a_3, \dots, a_n$ would be the set of all assertions generated at the first level.

5

Newer assertions can be generated using the above associations like

a_{12} can be generated using a_1 and a_2 if appropriate.

a_{123} can be generate using a_1, a_2 and a_3

10 Similarly,

$a_{123\dots k}$ can be generated using assertions a_1 to a_k .

Case -3 : Generating higher levels of knowledge

15 The assertions generated from the 2nd level knowledge generation can be further used to generate assertions at a higher level of knowledge using the same technique described above.

Other issues:

20 The above mentioned cases are examples of implementation at the conceptual level. The cases mentioned above implement "learning" by updating the NKB with new knowledge representations in the form of assertions that can be derived from (U,S,K) combinations and their sub-components.

25 Then arises the question as to what should be the extent to which these knowledge representations can be updated to the NKB.

The extent to which knowledge representations can be derived will have to be made with care and caution else it would reach a situation where the ES repeats knowledge generation adinfinitum.

- 5 A situation could also be reached wherein the ES starts generating totally irrelevant knowledge.

Standard rules of thumb can be used initially by fixing an upper limit on assertion generation at each level of knowledge.

10

Gradually this can be improved/changed by observing the trend and historical evidence. The ES can also be used to convert all of the MB entries into NKB. This would ensure storing only the right and relevant information and later would pave the way for e-mail content standardization. The auxiliary benefits of such an approach would be reduced disk space for e-mail mail boxes.

15

Provisions can also be made to change the strategy periodically/continually depending on identifiable parameters, which are part of the ES and NKB.

- 20 ***Review of advanced mail features of existing e-mail tools in comparison with the expert system used in this invention***

Here is a brief review of leading e-mail clients.

- 25 **Claris Emailer 2.0 Version 3** - Provides filtering facilities, hierarchical mailboxes, provides a window that lists the results of searches. Does not allow users to send styled text with HTML mail.

QuickMail Pro 1.5.2 - Provides good filtering and mailbox management features. But does not provide sufficient HTML support.

Microsoft Outlook Express 4.0 - Good filtering facilities, hierarchical mailboxes. HTML support and conforms to the Open Internet standard.

- 5 **Netscape Messenger 4.041** –Conforms to Open Internet Standard apart from providing most of the above mentioned facilities.

Eudora Light 3.13 – Offers hierarchical mailboxes and filters. Also provides for adding dockable windows, the ability to create filters quickly based on the
10 current message and multiple nick names.

As can be seen from the above none of them offer the kind of facilities and features discussed in this invention.

- 15 Figure 4 defines the operation of the personalized email database configurator (PEC). The PEC is used by the user to configure the RTG (25) for any one or more of the following options:

1. Automatic/manual reply template generation
2. Choose mail type on which to generate reply template : e.g oneliner, short,
20 medium, etc.
3. Generate reply template including the original mail received. This shall include appropriate salutation and end of message signature details. The Reply Template Generator (RTG) interfaces with the PED, the ES and the monitor. The salutation and signature details are configurable.
- 25 4. Search sender-wise, thread-wise, keyword wise automatically either while generating reply template or while composing a new mail. There are function keys(Hot keys) in the reply template generator that can be configured to realise this.

5. Search PED object wise. Namely the invention is equipped to identify various file formats and is equipped to display a miniaturised versions of the object in a frame for easy association, identification and possible inclusion in a reply message or new mail message.

6. Provide frames on the screen where more information on searches made and hits found can be obtained.

7. Provide additional frames to search and view contents from the NKB.

8. Include information seen/searched from the frames into the reply by the RTG.

9. View a short form of the message, without the embedded replies optionally. This is only to facilitate easier viewing of one's own message, whether it is new or a reply to a received mail. The invention also provides a facility to view by prompting

- Mail received R1
- Reply sent to R1 – S1.
- Reply received on S1 – R2
- Reply sent to R2 – S2
- Reply received on S2 – R3

etc. The above can be viewed serially in chronological sequence or viewed individually or viewed in groups of R1, R2,R3 or S1,S2,S3 etc. or in any combination as requested by the user. They can be reviewed either in different configurable colours and /or with changed font type and size.

10. View messages sender wise on the basis of keywords, date, sender/e-mail domain and subject by searching and extracting information from the PED.

11. View consolidated short form messages sender wise on the basis of keywords, date, sender/e-mail domain, objects, attachments and subject.

12. View consolidated long form messages sender wise on the basis of keywords, date, sender/e-mail domain and subject.

13. View consolidated full length form messages sender wise on the basis of keywords, date, sender/e-mail domain and subject.
14. Invoke feature where-in for messages of any or more amongst the various e-mail types one-line, short, medium, long and attachments, the tool searches the database for relevant messages with
- the same subject
 - the same sender and same subject
 - the same subject and any one of the recipients listed in the cc: list or the To: list.
- and various other similar combinations.

The PEC is further used by the user for configuring the operation of the expert system (ES) in terms of defining keywords and associations and the levels of generation of assertions to operate on. The ES may also be configured for converting all or some of the mailbox (MB) entries into the new knowledge base (NKB). The ES can be configured to generate assertions user-wise with parameters some of which are listed here for the sake of illustration:

- using ascending or descending chronology of mail for assertion generation.
- using user-wise, key-word-wise, subject-wise limits on assertion generation at each level of knowledge.
- using assertion-wise limits on new assertion generation at higher levels of knowledge. Care should be taken to ensure that the ES does not stretch/exceed available software and hardware resources.

The PEC is also used to configure the personalized email database (PED) for archiving of mails in the mailbox (MB) and for the new knowledge base (NKB) content. The configuration can be defined for any of the following:

- 10

Advantages of expert system based intelligent email system:

1. Time spent on mail reply and new mail composition is reduced significantly. The time reduced is almost to the tune of 50 % using the E-mail results discussed earlier, because the user has to read the generated reply with the original mail at the same time.
2. The content of e-mail replies is made richer and relevant with details chosen from the PED containing past mails/messages. These details can be excluded by the user if they are found irrelevant or unnecessary.
3. Selected types of mails can be sent automatically to certain individuals without the users' intervention, especially like calendar plans, acknowledgements and replies to meeting requests.
4. The invention uses parsing techniques and intelligently generates reply templates using historical data and assertions available in the PED. The volume and content of these reply templates and search mechanisms are fully configurable and can be chosen by the user to suit his/her e-mail profile and nature of e-mails. All of this leads to a general improvement in e-mail handling, storage, searching and reply generation.
5. The most significant feature of this invention is knowledge creation in the form of assertions in the NKB, which is part of the PED. This shall lead to a general improvement in e-mail content quality.
6. Conversion of MB contents into NKB assertions would pave the way to convert unstructured and haphazard information into structured knowledge that would be searchable and easily usable. The other auxiliary benefit would be that there would be massive savings on disk space occupied by e-mail mailboxes.

Claims:

1. In a computing system a method to handle large volume of e-mail received from a plurality of senders intelligently, by automatically processing each email based on a pre-determined classification system and stored information, said method comprising the steps of :

- receiving and sending the electronic mails,
- parsing the electronic mail header to capture keywords for the purpose of identifying the sender, the subject and specific key words and/or phrases,
- parsing the electronic mail body including attachments if any, for keywords and/or phrases for purpose of categorizing the e-mail for response,
- storing the said received emails in a personalized email database (PED),
- analyzing the emails stored in the PED for identifying co-relations among received e-mails using an expert system (ES) with machine learning capabilities to assist the user in analyzing and preparing replies,
- preparing a reply template using a reply template generator (RTG),
- storing the email replies in said PED,
- configuring said PED and said ES using an personalized email database configurator (PEC) for updation.

2. A method as claimed in claim 1 further comprising:

- storing of the received and sent e-mails in a mailbox (MB) within said PED,
- storing the result of the analysis by said expert system in New Knowledge Base (NKB) in the said PED.

3. A method as claimed in claim 1 further including storage of personal data profile of the user, calendar of appointments / meetings, current job contents in said PED.

4. A method as claimed in claim 1 further comprising the accessing of said PED over a network so as to make it useful to a travelling user.

5. A method as claimed in claim 1 further comprising the accessing of said PED through appropriate facilities including palm pilots.

6. A method as claimed in claim 1 further comprising:

- optionally generating the reply template,
- selecting mail type on which to generate reply template e.g. one-liner, short, medium long replies,
- enabling/disabling history search and intelligent reply template generation for specific type of mails for short mails,
- enabling/disabling history search and intelligent reply template generation for specific type of mails for cc'ed type or bcc'ed type or mails sent to newsgroups,
- specifying history search and intelligent reply template generation parameters like:
 - whether to search on subject and/or sender,
 - time period in which the messages need to be searched for,
 - type of message contents to be included/excluded,
- scheduling deletion of mails from the MB and NKB,
- scheduling sending of mails,
- specifying latest first or oldest first while generating relevant intelligent reply,

- specifying limits on inclusion of older reply contents – time period wise, volume wise and bandwidth wise,
- specifying criteria for inclusion/exclusion of keywords,
- providing access to multiple PEDs at various locations over the network,
- providing on-the-fly exclusion / inclusion of original mail and reply contents including the various levels of replies and counter-replies

by the user through said PEC.

7. A method as claimed in claim 1 further including displaying said reply template on the screen by said RTG based on searches conducted within the NKB in said PED.

8. A method as claimed in claim 1 further including displaying of:

- the mail received R1,
- reply sent to R1 – S1,
- reply received on S1 – R2,
- reply sent to R2 – S2,
- reply received on S2 – R3

by said RTG, serially and in chronological sequence, individually or in groups of R1, R2, R3 or S1, S2, S3 or in any combination requested by the user, either in configurable colors and/or with changed font type and size.

9. A method as claimed in claim 1 further including viewing and searching of the database by said RTG for relevant emails/messages with:

- the same subject,
- the same sender and same subject

- the same subject and any one of the recipients listed in the cc: list or the To: list and various other similar combinations.

5 10. A method as claimed in claim 1 wherein said reply template is in the same format in which said attachments have been received.

11. A method as claimed in claim 1 further comprising generating co-relations and new associations by said ES using state of art and state of the practice techniques of NLP, AI, machine learning.

10 12. A method as claimed in claim 1 further including searching the said PED by said ES for co-relations amongst e-mails received

- sender wise,
- senders within a particular timeframe,
- 15 - thread wise or subject wise,
- sender and subject wise,
- sender, subject and date wise,
- sender, keyword wise.

20 13. In a computing system a system to handle large volume of e-mail received from a plurality of senders intelligently, by automatically processing each email based on a pre-determined classification system and stored information, comprising:

- means for receiving and sending the electronic mails,
- 25 - means for parsing the electronic mail header to capture keywords for the purpose of identifying the sender, the subject and specific key words and/or phrases,

- means for parsing the electronic mail body including attachments if any, for keywords and/or phrases for purpose of categorizing the e-mail for response,
- means for storing the said received emails in a personalized email database (PED),
- means for analyzing the emails stored in the PED for identifying co-relations among received e-mails using an expert system (ES) with machine learning capabilities to assist the user in analyzing and preparing replies,
- means for preparing a reply template using a reply template generator (RTG),
- means for storing the email replies in said PED,
- means for configuring said PED and said ES using an personalized email database configurator (PEC) for updation.

14. A system as claimed in claim 13 further comprising:

- means for storing the received and sent e-mails in a mailbox (MB) within said PED,
- means for storing the result of the analysis by said expert system in New Knowledge Base (NKB) in the said PED.

15. A system as claimed in claim 13 further including means for storing personal data profile of the user, calendar of appointments / meetings, current job contents in said PED.

16. A system as claimed in claim 13 further including the means for accessing said PED over a network so as to make it useful to a travelling user.

17. A system as claimed in claim 13 further including the means for accessing said PED through appropriate facilities including palm pilots.

18. A system as claimed in claim 13 further comprising means for allowing the user through said PEC to:

- optionally generate the reply template,
- select mail type on which to generate reply template e.g. one-liner, short, medium long replies,
- enable/disable history search and intelligent reply template generation for specific type of mails for short mails,
- enable/disable history search and intelligent reply template generation for specific type of mails for cc'ed type or bcc'ed type or mails sent to newsgroups,
- specify history search and intelligent reply template generation parameters like,
 - whether to search on subject and/or sender,
 - time period in which the messages need to be searched for,
 - type of message contents to be included/excluded
- schedule deletion of mails from the MB and NKB,
- schedule sending of mails,
- specify latest first or oldest first while generating relevant intelligent reply,
- specify limits on inclusion of older reply contents – time period wise, volume wise and bandwidth wise,
- specify criteria for inclusion/exclusion of keywords,
- provide access to multiple PEDs at various locations over the network,
- provide on-the-fly exclusion / inclusion of original mail and reply contents including the various levels of replies and counter-replies.

19. A system as claimed in claim 13 further including means for displaying said reply template on the screen by said RTG based on searches conducted within the NKB in said PED

20. A system as claimed in claim 13 further comprising means for displaying:

- the mail received R1,
- reply sent to R1 – S1,
- reply received on S1 – R2,
- reply sent to R2 – S2,
- reply received on S2 – R3

by said RTG, serially and in chronological sequence, individually or in groups of R1, R2, R3 or S1, S2, S3 or in any combination requested by the user, either in configurable colors and/or with changed font type and size.

21. A system as claimed in claim 13 further including means for viewing and searching of the database by said RTG for relevant emails/messages with:

- the same subject,
- the same sender and same subject,
- the same subject and any one of the recipients listed in the cc: list or the To: list and various other similar combinations.

22. A system as claimed in claim 13 further including means for generating co-relations and new associations by said ES using state of art and state of the practice techniques of NLP, AI, machine learning.

23. A system as claimed in claim 13 further including means for searching said PED by said ES for co-relations amongst e-mails received

- sender wise,
- senders within a particular timeframe,
- thread wise or subject wise,
- sender and subject wise,
- 5 - sender, subject and date wise,
- sender, keyword wise.

24. A computer program product comprising computer readable program code stored on computer readable storage medium embodied therein for causing a computer to handle large volume of e-mail received from a plurality of senders intelligently, said computer program code comprising:

- computer readable program code means configured for receiving and sending the electronic mails,
- 15 - computer readable program code means configured for parsing the electronic mail header to capture keywords for the purpose of identifying the sender, the subject and specific key words and/or phrases
- computer readable program code means configured for parsing the electronic mail body including attachments if any, for keywords and/or phrases for purpose of categorizing the e-mail for response,
- 20 - computer readable program code means configured for storing the said received emails in a personalized email database (PED),
- computer readable program code means configured for analyzing the emails stored in the PED for identifying co-relations among received e-mails using an expert system (ES) with machine learning capabilities to assist the user in analyzing and preparing replies,
- 25

- computer readable program code means configured for preparing a reply template using a reply template generator (RTG),
- computer readable program code means configured for storing the email replies in said PED.
- 5 - computer readable program code means for configuring said PED and said ES using an personalized email database configurator (PEC) for updatation.

25. A computer program product as claimed in claim 24 further comprising:

- 10 - computer readable program code means configured for storing of the received and sent e-mails in a mailbox (MB) within said PED,
- computer readable program code means configured for storing the result of the analysis by said expert system in New Knowledge Base (NKB) in the said PED.

15 26. A computer program product as claimed in claim 24 further including computer readable program code means configured for storage of personal data profile of the user, calendar of appointments / meetings, current job contents in said PED.

20 27. A computer program product as claimed in claim 24 further including computer readable program code means configured for accessing said PED over a network so as to make it useful to a travelling user.

25 28. A computer program product as claimed in claim 24 further comprising computer readable program code means configured for accessing said PED through appropriate facilities including palm pilots.

29. A computer program product as claimed in claim 24 further comprising computer readable program code means configured for allowing the user through said PEC to:

- optionally generate the reply template,
- select mail type on which to generate reply template e.g. one-liner, short, medium long replies,
- enable/disable history search and intelligent reply template generation for specific type of mails for short mails,
- enable/disable history search and intelligent reply template generation for specific type of mails for cc'ed type or bcc'ed type or mails sent to newsgroups,
- specify history search and intelligent reply template generation parameters like,
 - whether to search on subject and/or sender,
 - time period in which the messages need to be searched for,
 - type of message contents to be included/excluded,
- schedule deletion of mails from the MB and NKB,
- schedule sending of mails,
- specify latest first or oldest first while generating relevant intelligent reply,
- specify limits on inclusion of older reply contents – time period wise, volume wise and bandwidth wise,
- specify criteria for inclusion/exclusion of keywords,
- provide access to multiple PEDs at various locations over the network,
- provide on-the-fly exclusion / inclusion of original mail and reply contents including the various levels of replies and counter-replies.

30. A computer program product as claimed in claim 24 further including computer readable program code means configured for displaying said reply template on the screen by said RTG based on searches conducted within the NKB in said PED.

31. A computer program product as claimed in claim 24 further including computer readable program code means configured for displaying of:

- the mail received R1
- reply sent to R1 – S1
- reply received on S1 – R2
- reply sent to R2 – S2
- reply received on S2 – R3

by said RTG, serially and in chronological sequence, individually or in groups of R1, R2, R3 or S1, S2, S3 or in any combination requested by the user, either in configurable colors and/or with changed font type and size.

32. A computer program product as claimed in claim 24 further including computer readable program code means configured for viewing and searching of the database by said RTG for relevant emails/messages with:

- the same subject,
- the same sender and same subject
- the same subject and any one of the recipients listed in the cc: list or the To: list and various other similar combinations.


33. A computer program product as claimed in claim 24 further including computer readable program code means configured for generating of correlations and new associations by said ES using state of art and state of the practice techniques of NLP, AI, machine learning

34. A computer program product as claimed in claim 24 further including computer readable program code means configured for searching the said PED by said ES for co-relations amongst e-mails received

- sender wise,
- senders within a particular timeframe,
- thread wise or subject wise,
- sender and subject wise,
- sender, subject and date wise,
- sender, keyword wise.

[illegible]

5

**Figure 1**





Figure 2

ES**Figure 3**




Figure 4



DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Method and system to handle large volume of e-mail received from a plurality of senders intelligently

specification of which (check one)

X is attached hereto.

_____ was filed on _____ as

Application Serial No. _____

and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)		Priority Claimed
_____ (Number)	_____ (Country)	_____ Yes _____ No
_____ (Number)	_____ (Country)	_____ Yes _____ No
_____ (Number)	_____ (Country)	_____ Yes _____ No

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

_____ (Application Number) _____ (Filing Date)

_____ (Application Number) _____ (Filing Date)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States Application(s) listed below and, insofar as the subject matter of each of the claims of the application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal Regulations, Section 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application;

_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

Express Label EL600330799US
Date of Deposit: Sept. 21, 2000

Send Correspondence to: _____

Direct Telephone Calls to: (name and telephone number) _____

Hulikunta Prahlad Raghunandan

Full name of sole or first inventor

H. P. Raghuraman 25 Aug 2000
Inventor's Signature Date

A-51, CIL Colony, Sanjaynagar Bangalore, Karnataka, India Pin: 560 094

Residence

India

Citizenship

A-51, CIL Colony, Sanjaynagar Bangalore, Karnataka, India Pin: 560 094

Post Office Address

[illegible]